



โรงพยาบาลเชียงใหม่

427 หมู่ 2 ตำบล เชียงคน อำเภ
เชียงคน เลข 42110

HN : 0009485

Name : นางแทนเครื่อง ศิริจันทร์

Age : 01-01-1960 (65 ปี)

Operation Date : 22-03-2568 10:27:20

Treatment Coverage :

AN :

Gender: Female

Location :

โครงการคัดกรองมะเร็งลำไส้
(Colonoscopy Screening)

Screening Report (Colonoscopy)

ENDOSCOPIST

นพ.กิตติธิษ เต็มรัมย์

ASSISTANTS

N/A

ATTENDENT

PATIENT IN: 10:27:20

OPERATION TIME : 10:27:20 - 10:41:10 (13
Minutes)

WITHDRAWAL TIME : 10:41:10 - 10:41:10 (0
Minutes)

INSERTION TIME : 10:27:20 - 10:41:10 (13
Minutes)

PLACE :

ENDOSCOPE USED : medica SN 00000 [medica]

BRIEF HISTORY : FIT+

INDICATION : CRC screening

ANESTHESIA : IV sedation

MEDICATION : N/A

PRE-DIAGNOSTIC : FIT+

BOWEL PREPARATION : Good

TECHNIQUE : None

FINDINGS:

Anal canal:	Normal
Rectum:	Normal
Sigmoid Colon:	Normal
Descending Colon:	Normal
Splenic flexure:	Normal
Transverse Colon:	Normal
Hepatic flexure:	Normal
Ascending Colon:	Normal
Appendiceal Orifice:	Normal
Cecum:	Normal
Terminal ileum:	Normal

POST-DIAGNOSTIC

Normal Colonoscopy

PROCEDURE

4523 Colonoscopy

COMPLICATION : None Complication


ESTIMATED BLOOD LOSS : N/A

BLOOD TRANSFUSION : N/A

PLAN : N/A




[1]




[2]




[3]




[4]




[5]



[6]



[7]



[8]

Signature

กิตติธิษ เต็มรัมย์

นพ.กิตติธิษ เต็มรัมย์

Reported by EndoCAPTURE